



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

was then made for more of the poisonous fungus to Mr. G. W. Lawrence, of Fayetteville, N. C., and from the material sent by him the species was recognized as *Clathrus columnatus* Bosc. As the fungus is common to the Southern States, it would be interesting to know whether the hogs of other States possess the same fondness for this most extraordinary diet.

In this connection I should like to call attention to an admirable memoir on Phalloideæ¹ by Dr. Ed. Fischer of Berne. He considers *C. columnatus* Bosc. to be merely a variety of *C. cancellatus* Tournef. He also places *C. triscapus* Mont., which occurs in Florida, under the same species as var. *Brasiliensis*. *Simblum rubescens* Gerard together with var. *Kansensis* Cragin are merged in *Simblum sphærocephalum* Schlecht. *Phallus duplicatus* Bosc, *P. Dæmonum* (Rumpf), *P. collaris* Cragin and *Hymenophallus togatus* are referred to *Dictyophora phalloides* Desvaux, thus bringing all the indusiate forms of the United States under one species. The synonymy of our species of *Mutinus* is still perplexing, for the original descriptions and type specimens are not sufficient to show clearly the limits of several species.—W. G. FARLOW, *Cambridge, Mass.*

Chlorophyll in the embryo.—The GAZETTE has mentioned Dr. Campbell's note on chlorophyll in the embryo of *Celastrus*. Other examples may be found in *Tilia Americana* and *Ipomœa purpurea*. I have given some attention to the latter during the last five months. In its earliest stages the embryo is white. The chlorophyll appears as soon as the first traces of the cotyledons can be recognized by the eye in the cross-section of the seed. It is abundant in the cotyledons while the pod is developing. When the fruit is ripe and the pod begins to dry then the color diminishes and becomes a light yellow in the shrunken seed which drops to the ground at the time of dehiscence. If the pods and their contents be buried in earth while yet green and immature they promptly send up thrifty plants which come to flower and produce fertile seeds, thus shortening the life-circle of the plant and giving it no "resting stage." I learn that some gardeners have taken advantage of this fact in burying "green peas" in the pod instead of the seed of a previous year, thus obtaining a more speedy result. I would be glad to know if observers in more southern localities find that *Ipomœa*, when favorably situated, produces its new seedlings by a natural or accidental burial of the pod without its arrival at maturity.—C. B. ATWELL, *Evanston, Ill.*

EDITORIAL.

PROBABLY no more earnest and critical notice of the BOTANICAL GAZETTE has appeared in any extra-English publication than that in a late number of *Flora* by its able and scholarly editor, Prof. Dr. Goebel. He gives as his reason for writing the notice that the GAZETTE "affords an

¹Untersuchungen zur vergleichenden Entwicklungsgeschichte und Systematik der Phalloideen, *Denkschrift Schweiz. Naturf. Gesell.* Band 32. I.